

Mock Exam

iSAQB® Certified Professional for Software Architecture – Foundation Level (CPSA-F)®

Question Sheet 2024.2-rev0-EN-20241218



Explanatory notes on the Mock Exam Certified Professional for Software Architecture – Foundation Level (CPSA-F®)

Explanations to the mock exam Certified Professional for Software Architecture - Foundation Level (CPSA-F®) This examination is a mock exam, which is based on the certification exam of the Certified Professional for Software Architecture - Foundation Level (CPSA-F®) in form and scope. It serves to illustrate the real iSAQB® CPSA-F® examination as well as to prepare for the corresponding exam. The mock exam consists of 39 multiple-choice questions, which can be evaluated with 1 or 2 points depending on the level of difficulty. At least 60 percent must be achieved to pass the exam. 53.0 points can be achieved in this mock examination, you would need 31.8 points to pass.

The following general rules apply:

- Depending on the level of difficulty and the length of the question, you can achieve a score of 1 or 2 points.
- Correct answers result in plus points, incorrect answers result in a deduction of points, but only with regard to the respective question. If the wrong answer to a question leads to a negative score, this question is evaluated with a total of 0 points.
- Should you mark more answers with a cross than you are supposed to, you will always get 0 points.

The multiple-choice questions of the mock exam are divided into three types of questions:

A-Questions (Single Choice, Single Correct Answer): Select the only correct answer to a question from the list of possible answers. There is only one correct answer. You receive the specified score for selecting the correct answer.

P-Questions (Pick-from-many, Pick Multiple): Select the number of correct answers given in the text from the list of possible answers to a question. Select just as many answers as are required in the introductory text. You receive 1/n of the total points for each correct answer. For each incorrect cross, 1/n of the points are deducted.

K-Questions (Allocation Questions, Choose Category): For a question, select the correct of the two options for each answer choice ("correct" or "incorrect" or "applicable" or "not applicable"). You will receive 1/n of the points for each correctly placed cross. Incorrectly placed crosses result in the deduction of 1/n of the points. If NO answer is selected in a line, there are neither points nor deductions.

For a more detailed explanation of the question types and scoring system, further information is available in the [CPSA-F examination rules](#).

The allowed time is 75 minutes for native speakers and 90 minutes for non-native speakers. In order to ensure that the preparation for the exam is as authentic as possible, the processing time should be adhered to and any aids (such as seminar materials, books, internet, etc.) should not be used. The exam can subsequently be evaluated using the solution for this mock exam. Given that the iSAQB® e.V. is indicated as source and copyright holder, the present mock exam may be used in the context of training courses, for exam preparation or it may be passed on free of charge.

However, it is explicitly prohibited to use these exam questions in a real examination.

Questions

Question 1

ID: Q-20-04-01

A-Question:	Choose one answer.	1 point
-------------	--------------------	---------

How many definitions of “software architecture” exist?

- ☐ (a) Exactly one for all kinds of systems.
 - ☐ (b) One for every kind of software system (e.g. “embedded”, “real-time”, “decision support”, “web”, “batch”, ...).
 - ☐ (c) A dozen or more different definitions.
-

Question 2

ID: Q-20-04-02

P-Question:	From the following five answers select three that fit best.	1 point
-------------	--	---------

Which THREE of the following aspects are covered by the term “software architecture”?

- ☐ (a) Components
- ☐ (b) Cross-cutting concepts
- ☐ (c) (internal and external) Interfaces
- ☐ (d) Coding conventions
- ☐ (e) Hardware sizing

Question 3

ID: Q-17-13-01

P-Question: From the following seven answers select **four** that fit best. 2 points

Which FOUR of the following statements about (crosscutting) concepts are most appropriate?

- ☐ (a) Uniform usage of concepts reduces coupling between building blocks.
- ☐ (b) The definition of appropriate concepts ensures the pattern compliance of the architecture.
- ☐ (c) Uniform exception handling can be achieved when architects agree with developers upon a suitable concept prior to implementation.
- ☐ (d) For each quality goal there should be an explicitly documented concept.
- ☐ (e) Concepts are a means to increase consistency.
- ☐ (f) A concept can define constraints for the implementation of many building blocks.
- ☐ (g) A concept might be implemented by a single building block.

Question 4

ID: Q-17-13-02

K-Question: Assign all answers. 1 point

In your project, three architects and seven developers are working on the documentation of the software architecture. Which methods are appropriate in order to achieve a consistent and adequate documentation, and which are not?

- | appropriate | not appropriate | |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | (a) The lead architect coordinates the creation of the documentation. |
| <input type="checkbox"/> | <input type="checkbox"/> | (b) Identical templates are used for the documentation. |
| <input type="checkbox"/> | <input type="checkbox"/> | (c) All parts of the documentation are automatically extracted from the source code. |

Question 5

ID: Q-17-13-03

P-Question:	From the following eight answers select four that fit best.	2 points
-------------	--	----------

Which FOUR of the following techniques are best suited to illustrate the workflow or behavior of the system at runtime?

- ☐ (a) Flowcharts
 - ☐ (b) Activity Diagrams
 - ☐ (c) Depiction of screen flows (sequence of user interactions)
 - ☐ (d) Sequence diagram
 - ☐ (e) Linear Venn diagram
 - ☐ (f) Numbered list of sequential steps
 - ☐ (g) Tabular description of interfaces
 - ☐ (h) Class diagrams
-

Question 6

ID: Q-17-13-04

P-Question:	From the following five answers select three that fit best.	1 point
-------------	--	---------

Which THREE of the following principles apply to testing?

- ☐ (a) In general, it is not possible to discover all errors in the system.
- ☐ (b) In components with many known previous errors, the chances for additional errors are high.
- ☐ (c) Sufficient testing can show that a program is free of errors.
- ☐ (d) Testing shows the existence of errors rather than the absence of errors.
- ☐ (e) Functional programming does not allow automated testing.

Question 7

ID: Q-17-03-05

K-Question:	Assign all answers.	2 points
-------------	---------------------	----------

Which of the following statements regarding the information hiding principle are true and which are false?

- | true | false | | |
|--------------------------|--------------------------|-----|--|
| <input type="checkbox"/> | <input type="checkbox"/> | (a) | Adhering to the information hiding principle increases flexibility for modifications. |
| <input type="checkbox"/> | <input type="checkbox"/> | (b) | Information hiding involves deliberately hiding information from callers or consumers of the building block. |
| <input type="checkbox"/> | <input type="checkbox"/> | (c) | Information hiding makes it harder to work bottom-up. |
| <input type="checkbox"/> | <input type="checkbox"/> | (d) | Information hiding is a derivative of the approach of incremental refinement along the control flow. |

Question 8

ID: Q-20-04-03

P-Question:	From the following four answers select two that fit best.	1 point
-------------	--	---------

What are the TWO most important goals of software architecture?

- | | | |
|--------------------------|-----|--|
| <input type="checkbox"/> | (a) | Improve accuracy of patterns in structure and implementation. |
| <input type="checkbox"/> | (b) | Achieve quality requirements in a comprehensible way. |
| <input type="checkbox"/> | (c) | Enable cost-effective integration and acceptance tests of the system. |
| <input type="checkbox"/> | (d) | Enable a basic understanding of structures and concepts for the development team and other stakeholders. |

Question 9

ID: Q-20-04-12

K-Question: Assign all answers. 1 point

Put yourself in the position of a software architect for a large, distributed business application in the banking or insurance domain. Which of the following statements is true and which is false?

- | true | false | | |
|--------------------------|--------------------------|-----|---|
| <input type="checkbox"/> | <input type="checkbox"/> | (a) | The architect collaborates with the stakeholders to determine where the requirements and constraints will change often (e.g., business processes, technologies), and designs the architecture such that changes can occur without requiring extensive restructuring of the software architecture. |
| <input type="checkbox"/> | <input type="checkbox"/> | (b) | Required product qualities should drive your architectural decisions. |
| <input type="checkbox"/> | <input type="checkbox"/> | (c) | The software architecture can be designed completely independent of the hardware and infrastructure. |

Question 10

ID: Q-20-04-03

P-Question: From the following five answers select **three** that fit best. 1 point

What are your THREE most important responsibilities as a software architect with respect to requirements?

- ☐ (a) Support the business people to specify explicit and concrete quality requirements.
- ☐ (b) Help to identify new business opportunities based on your technology know-how.
- ☐ (c) Reject business requirements that contain technical risks.
- ☐ (d) Capture all business requirements in a terminology that can be understood by your development team.
- ☐ (e) Check requirements for technological feasibility.

Question 11

ID: Q-20-04-07

P-Question: From the following five answers select **three** that fit best. 1 point

You are responsible as an architect for keeping a legacy system up and running according to the ongoing requirements of your business. What are the THREE most important action items on your agenda?

- ☐ (a) Negotiating the maintenance budget for your team
- ☐ (b) Assuring up-to-date documentation of the deployed system
- ☐ (c) Analyzing the impact of new requirements on the current system
- ☐ (d) Encouraging the team members to learn new programming languages
- ☐ (e) Suggesting technology updates in addition to the business requirements to your management

Question 12

ID: Q-21-05-01

K-Question: Assign all answers. 2 points

Which of the following statements regarding architecture decisions are true, which are false?

- | true | false | |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | (a) Architecture decisions never need to be written down because they are already known to the development team. |
| <input type="checkbox"/> | <input type="checkbox"/> | (b) An architecture decision record helps to make the decision's context understood. |
| <input type="checkbox"/> | <input type="checkbox"/> | (c) Once a decision has been made on a central or fundamental framework (e.g. persistence framework), that decision must not be changed. |
| <input type="checkbox"/> | <input type="checkbox"/> | (d) Quality requirements help significantly with architecture decisions. |

Question 13

ID: Q-20-04-09

K-Question:	Assign all answers.	2 points
-------------	---------------------	----------

Decide for each of the following statements whether it is true or false.

true	false		
<input type="checkbox"/>	<input type="checkbox"/>	(a)	Each iteration of an agile development approach could have an impact on the fundamental architecture decisions.
<input type="checkbox"/>	<input type="checkbox"/>	(b)	The total effort spent on architectural work is much higher in iterative projects compared to waterfall projects.
<input type="checkbox"/>	<input type="checkbox"/>	(c)	Agile projects do not need architecture documents since the development team uses daily standup-meetings to communicate decisions.
<input type="checkbox"/>	<input type="checkbox"/>	(d)	If your systems consist of a set of microservices there is no need for a central architecture document since each service is free to choose its technologies.

Question 14

ID: Q-20-04-10

K-Question:	Assign all answers.	2 points
-------------	---------------------	----------

Which of the following statements regarding project goals and architectural goals is true and which is false.

true	false		
<input type="checkbox"/>	<input type="checkbox"/>	(a)	Project Goals can include functional requirements as well as quality requirements.
<input type="checkbox"/>	<input type="checkbox"/>	(b)	Architectural goals are derived from the quality requirements for the system or product.
<input type="checkbox"/>	<input type="checkbox"/>	(c)	Business stakeholders should concentrate on business goals and not interfere with architectural goals.
<input type="checkbox"/>	<input type="checkbox"/>	(d)	To avoid conflicts, business goals and architectural goals should be non- overlapping sets.

Question 15

ID: Q-20-04-11

P-Question: From the following five answers select **two** that fit best. 1 point

What does the rule “explicit, not implicit” mean for architecture work? Choose the TWO best-fitting answers.

- ☐ (a) Architects should avoid recursive structures and replace them by explicit loops.
 - ☐ (b) Architects should make the assumptions leading to decisions explicit.
 - ☐ (c) Architects should explicitly insist on natural language explanations (i.e. comments) for each building block.
 - ☐ (d) Architects should explicitly insist on written or at least verbal justifications for development effort estimates from their team.
 - ☐ (e) Architects should make prerequisites for their decisions explicit.
-

Question 16

ID: Q-20-04-19

P-Question: From the following five answers select **three** that fit best. 1 point

Identify the THREE most appropriate examples for typical categories of software systems.

- ☐ (a) Batch system
- ☐ (b) Interactive online system
- ☐ (c) Linnés system.
- ☐ (d) Embedded real-time system.
- ☐ (e) Integration test system.

Question 17

ID: Q-20-04-32

P-Question: From the following five answers select **three** that fit best. 1 point

There are many approaches that lead to a software architecture. Which of the following are the THREE most often found in practice?

- ☐ (a) User interface driven design
 - ☐ (b) Domain driven design
 - ☐ (c) View based architecture development
 - ☐ (d) Bottom-up design
 - ☐ (e) Majority voting
-

Question 18

ID: Q-20-04-38

P-Question: From the following six answers select **three** that fit best. 1 point

Several architecture development methods suggest a view-based approach. Which three of the following views are most often used?

- ☐ (a) Physical database view
- ☐ (b) Context view
- ☐ (c) Building Block/Component view
- ☐ (d) Test-driven view
- ☐ (e) Configuration view
- ☐ (f) Runtime view

Question 19

ID: Q-20-04-22

P-Question: From the following four answers select **two** that fit best. 1 point

When documenting a building block of your software architecture, which two pieces of information should the black-box description contain?

- ☐ (a) Public interfaces.
 - ☐ (b) Responsibility of the building block.
 - ☐ (c) Internal structure of the building block.
 - ☐ (d) Specification of the implementation details.
-

Question 20

ID: Q-20-04-17

P-Question: From the following five answers select **two** that fit best. 1 point

Which prerequisites have to be fulfilled before developing a software architecture? Pick the TWO most appropriate answers.

- ☐ (a) The requirements specification for the system is complete, detailed and consistent.
- ☐ (b) The most important qualities for the system are known.
- ☐ (c) Organizational constraints are known.
- ☐ (d) The programming language has been selected.
- ☐ (e) Hardware for the development team is available.

Question 21

ID: Q-20-04-18

P-Question: From the following four answers select **three** that fit best. 1 point

Which factors can influence the design of a software architecture? Pick the THREE most appropriate answers.

- ☐ (a) Political.
 - ☐ (b) Organizational.
 - ☐ (c) Technical.
 - ☐ (d) Virtual.
-

Question 22

ID: Q-20-04-18

A-Question: Choose one answer. 1 Point

Which of the following qualities can most likely be improved by using a layered architecture?

- ☐ (a) Runtime efficiency (performance).
- ☐ (b) Flexibility in modifying or changing the system.
- ☐ (c) Flexibility at runtime (configurability).
- ☐ (d) Non-repudiability.

Question 23

ID: Q-20-04-33

P-Question: From the following four answers select **two** that fit best. 1 point

Which type of problems provide a good fit for the Pipes & Filter Pattern?

- ☐ (a) Management of global application state
 - ☐ (b) IT systems which process data streams
 - ☐ (c) Decoupling multiple steps of an execution
 - ☐ (d) Temporal decoupling of an application
-

Question 24

ID: Q-20-04-20

A-Question: Choose one answer. 1 Point

Which goals are you trying to achieve with the dependency inversion principle?

- ☐ (a) Big building blocks shall not depend on small building blocks.
- ☐ (b) Components shall be able to create dependent components more easily.
- ☐ (c) Building blocks shall only depend on each other via abstractions.

Question 25

ID: Q-20-04-21

K-Question:	Assign all answers.	2 points
-------------	---------------------	----------

What are characteristics of tight (high) or loose (low) coupling?

- | tight coupling | loose coupling | | |
|--------------------------|--------------------------|-----|---|
| <input type="checkbox"/> | <input type="checkbox"/> | (a) | Building blocks directly call dependent building blocks, i.e., without using indirect calls via interfaces or abstractions. |
| <input type="checkbox"/> | <input type="checkbox"/> | (b) | Building blocks use shared complex data structures. |
| <input type="checkbox"/> | <input type="checkbox"/> | (c) | Building blocks use a shared table (for read- and write operations) within a relational database. |
| <input type="checkbox"/> | <input type="checkbox"/> | (d) | When designing building blocks, you have consistently applied the dependency inversion principle. |

Question 26

ID: Q-20-04-14

P-Question:	From the following five answers select two that fit best.	1 point
-------------	--	---------

Which two statements about the principle “Don’t repeat yourself” (DRY) fit best? In other words: What could happen, if parts of the source code or configuration do exist in multiple copies in the system?

- | | | |
|--------------------------|-----|---|
| <input type="checkbox"/> | (a) | DRY reduces security. |
| <input type="checkbox"/> | (b) | Strict adherence to DRY could lead to higher coupling. |
| <input type="checkbox"/> | (c) | The components of the system that contain redundant code can be improved independently of each other. |
| <input type="checkbox"/> | (d) | Adherence to DRY leads to additional attack vectors in IT security. |
| <input type="checkbox"/> | (e) | Applying the Layer patterns allows a consistent application of the DRY principle. |

Question 27

ID: Q-20-04-15

K-Question:	Assign all answers.	2 points
-------------	---------------------	----------

You can communicate aspects of your software architecture verbally and/or in writing. How do these variants correlate? Decide for each of the following statements whether it is true or false.

- | true | false | | |
|--------------------------|--------------------------|-----|---|
| <input type="checkbox"/> | <input type="checkbox"/> | (a) | Verbal communication should supplement written documentation. |
| <input type="checkbox"/> | <input type="checkbox"/> | (b) | Feedback to architecture decisions should always be done in writing to ensure traceability. |
| <input type="checkbox"/> | <input type="checkbox"/> | (c) | Written documentation should always precede verbal communication. |
| <input type="checkbox"/> | <input type="checkbox"/> | (d) | Architects should pick one variant (verbal or written) and stick to this choice during the whole development. |

Question 28

ID: Q-20-04-37

K-Question:	Assign all answers.	2 points
-------------	---------------------	----------

Which of the following statements about notations for architectural views is true and which is false?

- | true | false | | |
|--------------------------|--------------------------|-----|--|
| <input type="checkbox"/> | <input type="checkbox"/> | (a) | Business Process Model & Notation (BPMN) should only be used by Business Analysts and not for architecture documentation. |
| <input type="checkbox"/> | <input type="checkbox"/> | (b) | UML deployment models are the only way to document the mapping of software components to infrastructure. |
| <input type="checkbox"/> | <input type="checkbox"/> | (c) | UML Package Diagrams can be used to capture the building-block view of software architectures. |
| <input type="checkbox"/> | <input type="checkbox"/> | (d) | As long as the notation is explained (e.g. by a legend), any notation can be sufficient to describe building block structures and collaboration. |

Question 29

ID: Q-20-04-13

P-Question: From the following four answers select **two** that fit best. 1 point

Which architectural views have the most practical application for developing software architectures? 1 point

- ☐ (a) Pattern View.
 - ☐ (b) Observer View.
 - ☐ (c) Building-Block View (Component View).
 - ☐ (d) Deployment View.
-

Question 30

ID: Q-20-04-23

P-Question: From the following five answers select **two** that fit best. 1 point

The context view might contain a business context and a technical context, or both. Pick the two most appropriate answers that apply to the technical context.

- ☐ (a) The technical context contains the physical channels between your system and its environment.
- ☐ (b) The technical context contains all the infrastructure on which the components of your system are deployed.
- ☐ (c) The technical context should include hardware pricing or pricing of cloud services used as infrastructure for your architecture.
- ☐ (d) The technical context contains information about the chosen programming language as well as all frameworks used to implement your software architecture.
- ☐ (e) The technical context might contain different elements than the business context.

Question 31

ID: Q-20-04-24

P-Question: From the following four answers select **two** that fit best. 1 point

Software architecture documentation could contain descriptions of cross-cutting concerns. Pick the TWO best reasons why documentation of cross-cutting concerns is useful.

- ☐ (a) Cross-cutting concepts should focus on the domain and be free of technical information.
- ☐ (b) Aspects or concepts that are used in multiple parts of your software architecture should be described in a non-redundant way.
- ☐ (c) Cross-cutting concepts can be reused in more products within the same organization.
- ☐ (d) Cross-cutting concepts should be implemented by specialists. Therefore, separate documentation is useful.

Question 32

ID: Q-20-04-25

K-Question: Assign all answers. 2 points

What are guidelines for good interface design? Check which of the following statements are true and which are false.

- | true | false | |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | (a) Use of interfaces should be easy to learn. |
| <input type="checkbox"/> | <input type="checkbox"/> | (b) It should be possible to write client code for the interface, that is reasonably easy to understand. |
| <input type="checkbox"/> | <input type="checkbox"/> | (c) An interface should provide access to a comprehensive set of implementation details. |
| <input type="checkbox"/> | <input type="checkbox"/> | (d) Interface specifications should include functional aspects and required quality attributes. |
| <input type="checkbox"/> | <input type="checkbox"/> | (e) Local and remote calls to an interface should behave identically in all aspects. |

Question 33

ID: Q-20-04-26

K-Question: Assign all answers. 2 points

One definition says: "Software architecture is the sum of all the decisions you have taken during development." Check which of the following statements about architectural/design decisions are true and which are false.

true	false		
<input type="checkbox"/>	<input type="checkbox"/>	(a)	Architectural decisions can impact the structure of the building block or components.
<input type="checkbox"/>	<input type="checkbox"/>	(b)	Software architects shall justify all design decisions in writing.
<input type="checkbox"/>	<input type="checkbox"/>	(c)	Architectural decisions can have interdependencies between each other.
<input type="checkbox"/>	<input type="checkbox"/>	(d)	Tradeoffs between conflicting quality requirements should be explicit decisions.

Question 34

ID: Q-20-04-31

K-Question: Assign all answers. 2 points

Which of the following statements are typical reasons for introducing an architecture documentation and which are not typical reasons?

typical	not typical		
<input type="checkbox"/>	<input type="checkbox"/>	(a)	To support onboarding of new developers.
<input type="checkbox"/>	<input type="checkbox"/>	(b)	To support the automated testing approach of the system.
<input type="checkbox"/>	<input type="checkbox"/>	(c)	To support the work of distributed teams.
<input type="checkbox"/>	<input type="checkbox"/>	(d)	To assist in future enhancements of the product.
<input type="checkbox"/>	<input type="checkbox"/>	(e)	To conform to regulatory or legal constraints.
<input type="checkbox"/>	<input type="checkbox"/>	(f)	To ensure that developers have enough work to do.

Question 35

ID: Q-20-04-30

K-Question:	Assign all answers.	2 points
-------------	---------------------	----------

Which of the following pairs of qualities are usually in conflict to each other, and which are not?

conflict	no conflict	
<input type="checkbox"/>	<input type="checkbox"/>	(a) Understandability – Readability.
<input type="checkbox"/>	<input type="checkbox"/>	(b) Usability – Security.
<input type="checkbox"/>	<input type="checkbox"/>	(c) Runtime configurability – Robustness.
<input type="checkbox"/>	<input type="checkbox"/>	(d) Security – Functional correctness.

Question 36

ID: Q-20-04-27

P-Question:	From the following five answers select two that fit best.	1 point
-------------	--	---------

ISO 25010 provides generic quality characteristics for software systems. How can quality requirements concerning these characteristics be made more concrete? Pick the two best alternatives.

- | | | |
|--------------------------|-----|-------------------------------------|
| <input type="checkbox"/> | (a) | By developing UI prototypes. |
| <input type="checkbox"/> | (b) | By defining explicit interfaces. |
| <input type="checkbox"/> | (c) | By discussing or writing scenarios. |
| <input type="checkbox"/> | (d) | By creating automated tests. |
| <input type="checkbox"/> | (e) | By creating a quality tree. |

Question 37

ID: Q-20-04-28

P-Question: From the following six answers select **four** that fit best. 2 points

Which four of the following are best suited to support the analysis of the achievement of the quality requirements (*qualitative analysis*) of your software architecture? Pick the four best alternatives.

- ☐ (a) Quantitative dependency analysis.
 - ☐ (b) Architecture models.
 - ☐ (c) Quality scenarios.
 - ☐ (d) Team size.
 - ☐ (e) Log files.
 - ☐ (f) Organizational structure.
-

Question 38

ID: Q-20-04-29

P-Question: From the following five answers select **two** that fit best. 1 point

You try to analyze your architecture quantitatively. Which are the two most appropriate indicators for architectural problem areas?

- ☐ (a) High coupling of components.
- ☐ (b) Names of public methods do not reflect their purpose.
- ☐ (c) Missing comments.
- ☐ (d) Clusters of errors in certain building blocks of the system.
- ☐ (e) Number of test cases per component.

Question 39

ID: Q-20-04-36

P-Question: From the following five answers select **three** that fit best. 1 point

You try to quantitatively analyze your architecture. Which three of the following properties can you measure reliably in your software architecture? Pick the three best fitting answers.

- ☐ (a) Size of building blocks (e.g. LOC).
 - ☐ (b) Change rate of the source code of components.
 - ☐ (c) Cohesion of the architectural components.
 - ☐ (d) Security level of a component.
 - ☐ (e) Number of the developers that contributed to a specific component.
-